

## COSMEDICO – THE BEST CHOICE

At Cosmedico, our main focus is on people. Our products make the bio-positive effects of light available to the people at all times. The sun is in the heart of our customer service - which makes a noticeable difference. Our UV experts' advice is competent, individual and personal. In short, Cosmedico is „First Choice“ in every respect!



## **COSMEDICO 10K100®**

The luxury lamp with 10% more tanning performance.

04

## **COSMEDICO COSMOLUX**

The premium lamp range of the highest quality.

06

## **COSMEDICO COSMOFIT**

The 0.3-compliant EU range.

08

## **COSMEDICO COSMOSUN**

The standard range with good performance.

10

## **COSMEDICO COLLAGEN**

Skin rejuvenation lamps.

12

## **COSMEDICO HIGH PRESSURE / IGNITORS**

High pressure lamps and ignitors for every need.

14

## **COSMEDICO ACCESSORIES**

Starters, ballasts, UV meters, disinfection, etc.

16

## **COSMEDICO CONTACT**

Our professional team for personal advice.

18



Cosmedico®  
10K100®



## GET YOUR DELUXE SUN TAN

### TANNING WITH THE 10K100® - DELUXE INSIDE AND OUTSIDE 0.3!

The Cosmedico 10K100® is an absolutely stunning luxury tanning lamp. It produces 10% more tanning effect in comparison with any other lamp. Tanners develop an instant pigmentation and a long-lasting DELUXE tan. What is the secret of the DELUXE tan? An extremely high quality new phosphor with unmatched tanning properties. Within the Cosmedico range this phosphor is exclusively used in the 10K100® lamp series.

An attractive 10K100® DELUXE poster with the picture shown on the right is available in DIN A1 format. With this poster salons can equip their 10K100® room exclusively, thus demonstrating to their customers: tanning in this room will be a very special experience. Contact us on the 10K100® promotion poster.

10K100®	Wattage (W)	Length (mm)	Short/Long Mount* (SM/LM)	Reflector (•)	UVA irradiation (W/m²)**	UVB/UVA (%)	UV-Code	Useful life (hrs)	Ordering code
COSMOLUX VLR 10K100 S1	100	1760	SM	•	22	0,7	100-R-34/3,0	1000	10247
COSMOLUX VHR 10K100 S1	160	1760	LM	•	35	1,9	160-R-124/6,1	1000	10248
COSMOLUX 10K100 S2	180	1900	SM	•	-	-	180-R-	1000	30165
COSMOLUX 10K100 S2	180	2000	LM	•	-	-	180-R-	1000	30166
COSMOFIT 10K100 S2	120	2000	SM	•	-	-	120-R-	1000	30167
COSMOFIT 10K100 S1	100	1760	SM	•	21	0,4	100-R-20/1,5	1000	30013
COSMOFIT 10K100 S1	160	1760	SM	•	27	0,4	160-R-27/1,4	1000	30015
COSMOFIT 10K100 S1	180	2000	SM	•	25	0,5	180-R-31/1,7	1000	12700
COSMOFIT 10K100 S2	100	1760	SM	•	21	0,6	100-R-24/1,8	1000	30016
COSMOFIT 10K100 S2	160	1760	SM	•	26	0,5	160-R-31/1,7	1000	30017

\* Electrode construction  
\*\* Depending upon tanning unit





## PREMIUM LAMPS FOR THE DISCERNING

What makes the Cosmolux lamp range so special? A high instant tanning effect, a long-lasting deep tan, short exposure times, a constant UV output and an exceptionally long lifetime. How does this work? Due to the proven Cosmedico lamp technology and the use of ideally dosed, high-quality special fluorescent blends in individually matched glass tubes. Example? The legendary Cosmedico Cosmolux VHR 9K90 with the original VHO long mount electrode and the impressive deep tan. Cosmedico Cosmolux - treat your customers!



COSMOLUX	Wattage (W)	Length (mm)	Short/Long Mount* (SM/LM)	Reflector (•)	UVA irradiation (W/m <sup>2</sup> )**	UVB/UVA (%)	UV-Code	Useful life (hrs)	Ordering code
COSMOLUX LSR	25	520	SM	•	11	2,2	25-R-48/6,8	800	10332
COSMOLUX COMPACT	36	415	SM		15	1,1	36-O-33/4,9	800	10073
COSMOLUX COMPACT XT	55	535	SM		-	-	55-O	800	10246
COSMOLUX R SLIMLINE	92	1760	SM	•	19	1,3	92-R-28/3,7	800	15840
COSMOLUX XTR PLUS	120	1900	SM	•	21	3,2	120-R-100/9,8	800	15497
COSMOLUX XTR PLUS	120	2000	SM	•	20	3,0	120-R-94/9,3	800	15498
COSMOLUX RVX	160	1760	SM	•	26	1,0	160-R-62/4,4	800	10292
COSMOLUX VLR 9K90	100	1760	SM	•	20	1,1	100-R-50/5,8	1200	15686
COSMOLUX VHR 9K90	160	1760	LM	•	33	1,2	160-R-79/6,1	1200	16475
COSMOLUX VHR 9K90 2.0M	180	2000	LM	•	32	1,3	180-R-79/6,1	1200	16710
COSMOLUX VHR	160	1760	LM	•	33	1,4	160-R-85/5,0	1000	10295
COSMOLUX VHR 200	180	2000	LM	•	32	1,4	180-R-83/5,1	1000	16278
COSMOLUX VHR PLUS 2.0M	180	2000	LM	•	31	1,6	180-R-85/5,4	1000	10208
COSMOLUX VHR S PLUS	180	2000	LM	•	31	2,1	180-R-108/6,5	1000	10291
COSMOLUX VHR PLUS	225	2000	LM	•	34	1,7	225-R-95/5,4	800	10207
COSMOLUX VHR TT	160	1760	LM	•	33	1,6	160-R-90/5,2	1000	16474
COSMOLUX VHR TT PLUS	160	1760	LM	•	31	3,3	160-R-151/10,0	1000	16357
COSMOLUX VHR TT TURBO	160	1760	LM	•	30	4,0	160-R-180/12,2	1000	16370
COSMOLUX VHR TT TURBO	180	1900	LM	•	29	2,8	180-R-135/8,6	1000	16276
COSMOLUX DUO VHR S	160	1760	LM	•	26	2,6 - 2,0	160-R-137/8,5	1000	16630
COSMOLUX DUO VHR S	180	2000	LM	•	25	2,5 - 2,0	180-R-125/8,3	1000	16720
COSMOLUX TRIO VHR S	160	1760	LM	•	25	2,7 - 1,9	160-R-139/8,6	1000	16631
COSMOLUX TRIO VHR S 200	180	2000	LM	•	25	2,8 - 2,0	180-R-129/8,8	1000	16730

\* Electrode construction  
 \*\* Depending upon tanning unit



COSMOFIT	Wattage (W)	Length (mm)	Short/Long Mount* (SM/LM)	Reflector (•)	UVA irradiation (W/m <sup>2</sup> )**	UVB/UVA (%)	UV-Code	Useful life (hrs)	Ordering code
COSMOFIT X	15	288	SM		4	1,4	15-O-9/3,7	500	10304
COSMOFIT SP	25	520	SM		6	1,3	25-O-10/3,5	800	10340
COSMOFIT R IQ 1	100	1760	SM	•	19	0,4	100-R-19/1,5	800	15167
COSMOFIT R IQ 2	100	1760	SM	•	19	0,8	100-R-29/2,4	800	15168
COSMOFIT R IQ 3	100	1760	SM	•	20	1,0	100-R-40/4,0	800	15169
COSMOFIT R IQ 4	100	1760	SM	•	19	0,7	100-R-24/2,1	800	30018
COSMOFIT R IQ 6	100	1760	SM	•	19	0,7	100-R-22/2,2	800	30019
COSMOFIT R IQ 7	100	1760	SM	•	22	0,6	100-R-27/2,7	800	30010
COSMOFIT R IQ 8	100	1760	SM	•	21	0,4	100-R-19/2,3	800	15176
COSMOFIT R IQ 9	100	2000	SM	•	17	0,8	100-R-25/2,2	800	15208
COSMOFIT R IQ 10	100	1900	SM	•	-	-	100-R-	800	30028

## EU COMPLIANT HIGH TECHNOLOGY

What is so special about the Cosmofit 0.3 lamp range? It delivers the best tanning results considering compliance with the maximum value of the erythemal irradiance of 0.3 W/m<sup>2</sup> prescribed by the European UV-protection regulation. The high technology behind the lamp? Spectra concentrated on the wavelengths that are crucial for tanning. This achieves an ultimate tanning performance. Our customers are delighted with the results of Cosmofit. Salon owners and sunbed operators are on the safe side and comply with the EU Directive (0.3 standard) after the conversion of their sunbeds to 0.3. Ask us which Cosmofit lamp fits best into your tanning bed. Our 0.3 experts will support you.

Cosmedico Cosmofit – certainly 0.3!



COSMOFIT	Wattage (W)	Length (mm)	Short/Long Mount* (SM/LM)	Reflector (•)	UVA irradiation (W/m <sup>2</sup> )**	UVB/UVA (%)	UV-Code	Useful life (hrs)	Ordering code
COSMOFIT R IQ 1	120	1900	SM	•	24	0,4	120-R-24/2,1	800	15178
COSMOFIT R IQ 2	120	2000	SM	•	22	0,7	120-R-19/1,9	800	16718
COSMOFIT R IQ 4	120	2000	SM	•	20	0,9	120-R-31/2,7	800	30008
COSMOFIT R IQ 1	160	1760	SM	•	25	0,5	160-R-29/1,6	800	16633
COSMOFIT R IQ 2	160	1760	SM	•	24	0,6	160-R-32/2,0	800	16646
COSMOFIT R IQ 4	160	1760	SM	•	21	0,4	160-R-24/2,0	800	30043
COSMOFIT R IQ 5 X-POWER <sup>1</sup>	160	1760	SM	•	23	0,7	160-R-36/2,4	800	16676
COSMOFIT R IQ 6	160	1760	SM	•	25	0,5	160-R-30/1,7	800	30170
COSMOFIT R IQ 26	160	1760	SM	•	24	0,8	160-R-36/2,4	800	30171
COSMOFIT R IQ 7 X-POWER <sup>1</sup>	160	1760	SM	•	24	0,7	160-R-24/2,0	800	30042
COSMOFIT R IQ 8	160	1760	SM	•	21	0,4	160-R-25/2,6	800	30066
COSMOFIT R IQ 9	160	1760	SM	•	23	1,1	160-R-49/3,0	800	30109
COSMOFIT R IQ 2	180	1900	SM	•	-	-	180-R-	800	15177
COSMOFIT R IQ 3	180	2000	SM	•	25	0,7	180-R-36/2,6	800	16722
COSMOFIT R IQ 4	180	2000	SM	•	-	-	180-R-	800	30009
COSMOFIT R ONE4ALL	100	1760	SM	•	19	0,6	100-R-23/1,8	800	10245
COSMOFIT R ONE4ALL	140	1500	SM	•	25	0,4	140-R-25/1,4	800	10250
COSMOFIT R ONE4ALL	160	1760	SM	•	21	0,4	160-R-25/2,4	800	10244
COSMOFIT R ONE4ALL	180	2000	SM	•	24	0,4	180-R-22/1,4	800	30050
COSMOFIT UVA PLUS	100	1760	SM		10	0,9	100-O-17/2,6	800	10235
COSMOFIT RA PLUS	40	590	SM	•	15	0,9	40-R-25/2,5	800	15539
COSMOFIT RA PLUS	100	1760	SM	•	19	0,6	100-R-23/1,8	800	10143
COSMOFIT RA PLUS	120	2000	SM	•	20	0,9	120-R-30/2,5	800	15205
COSMOFIT RA PLUS	140	1500	SM	•	23	0,7	140-R-36/2,3	800	16640
COSMOFIT RA PLUS	160	1760	SM	•	24	0,8	160-R-37/2,4	800	16684
COSMOFIT RA PLUS	180	2000	SM	•	25	0,7	180-R-37/2,4	800	16712
COSMOFIT RX	100	1760	SM	•	19	0,7	100-R-25/2,1	800	10137
COSMOFIT CS	80	1500	SM		9	1,3	80-O-19/3,8	800	10267
COSMOFIT CS	100	1760	SM		10	1,3	100-O-21/4,0	800	10261
COSMOFIT RCS	80	1500	SM	•	20	0,7	80-R-29/2,9	800	15520
COSMOFIT RCS	100	1760	SM	•	21	0,7	100-R-31/3,0	800	10138
COSMOFIT RCS-XTR	120	2000	SM	•	22	1,0	120-R-43/4,0	800	15207
COSMOFIT RCS-XTR	180	1900	SM	•	25	0,8	180-R-58/3,6	800	16643
COSMOFIT V.H.P. R 225	180	2000	LM	•	34	0,2	225-R-21/0,8	800	16742
COSMOFIT VHR-3 9K90	160	1760	LM	•	34	0,4	160-R-27/1,2	1200	10265
COSMOFIT VHR-3 9K90	180	2000	LM	•	32	0,4	180-R-27/1,2	1200	10266

\* Electrode construction  
 \*\* Depending upon tanning unit  
<sup>1</sup> 80-200



## STANDARD LAMPS OF ANY PERFORMANCE

What are the characteristics of the Cosmosun range of lamps? Cosmosun are consistent and reliable lamps with a good standard quality. For each tanning need and in virtually any desired wattage. Cosmosun offers great tanning results in moderate to short exposure times. Also the colour lamps „Duo“ and „Trio“ are part of the solid Cosmosun range. Cosmedico Cosmosun - a strong basic range for any salon!

COSMOSUN	Wattage (W)	Length (mm)	Short/Long Mount* (SM/LM)	Reflector (•)	UVA irradiation (W/m <sup>2</sup> )**	UVB/UVA (%)	UV-Code	Useful life (hrs)	Ordering code
COSMOSUN 24 S	25	520	SM		7	2,9	25-O-39/9,2	600	10337
COSMOSUN 24 R	25	520	SM	•	11	2,2	25-R-48/6,8	600	10354
COSMOSUN 15 R	80	1500	SM	•	19	1,6	80-R-57/5,4	600	15719
COSMOSUN 12 R	100	1760	SM	•	18	1,2	100-R-36/3,8	600	15750
COSMOSUN 18 R	100	1760	SM	•	20	1,7	100-R-82/8,8	600	15744
COSMOSUN 26 R	100	1760	SM	•	19	2,4	100-R-115/10,8	600	15684
COSMOSUN 16 R	140	1500	SM	•	25	1,7	140-R-88/5,6	600	16531
COSMOSUN 12 R	160	1760	SM	•	26	1,0	160-R-62/4,4	600	16656
COSMOSUN 16 R	160	1760	SM	•	25	1,6	160-R-91/5,9	600	16625
COSMOSUN 20 R	160	1760	SM	•	24	2,1	160-R-108/6,8	600	16660
COSMOSUN 23 R	160	1760	SM	•	24	2,5	160-R-108/6,8	600	16479
COSMOSUN 28 R	160	1760	SM	•	24	2,9	160-R-127/9,1	600	16661
COSMOSUN 36 R	160	1760	SM	•	23	3,5	160-R-150/11,0	600	16645
COSMOSUN 23 R	180	1900	SM	•	23	2,3	180-R-102/6,4	600	16284
COSMOSUN 32 R	180	1900	SM	•	23	3,2	180-R-155/10,6	600	30134
COSMOSUN 23 R	180	2000	SM	•	23	2,3	180-R-111/7,4	600	16238
COSMOSUN 28 R	180	2000	SM	•	23	2,9	180-R-127/9,1	600	16290
COSMOSUN 36 R	180	2000	SM	•	22	3,7	180-R-145/10,9	600	16243
COSMOSUN DUO R	180	2000	SM	•	19	2,8 - 2,2	180-R-115/9,0	600	16711
COSMOSUN TRIO R	180	2000	SM	•	19	2,6 - 1,9	180-R-111/8,6	600	16719

\* Electrode construction  
\*\* Depending upon tanning unit



# Cosmedico COLLAGEN



## COLLAGEN PRO BEAUTY - SKIN REJUVENATION LAMPS

With Cosmedico COLLAGEN Pro Beauty lamps appropriate devices can quickly be converted into modern skin rejuvenation appliances. Long-term studies have proven that the body's own collagen production is stimulated with light of a specific wavelength. The collagen light treatment has a visible anti-aging effect on face and body. A firm skin with a youthful and fresh appearance, enhanced elasticity, reduced wrinkles and strengthened connective tissue is the result. Also, the soft red light

waves contribute to the well-being and caress body and soul. Application of a hyaluronic acid concentrate on face and neck prior to the light treatment can intensify the rejuvenation effect. HYALURON Pro Beauty Fluid, the highly effective anti-aging concentrate of Cosmedico, is designed specifically for combined use with the Collagen Pro Beauty high pressure and low pressure lamp range. Try it out!

COLLAGEN LOW PRESSURE	Wattage (W)	Length (mm)	Short/Long Mount	Reflector (•)	Diameter Ø	Emission range (nm)	Colour	Treatment duration* (min)	Useful life (hrs)	Ordering code
COLLAGEN Pro Beauty	15	288	SM	•	T5	600 - 640	light red	25 - 30	800	19319
COLLAGEN Pro Beauty	25	520	SM	•	T5	600 - 640	light red	22 - 27	800	19320
COLLAGEN Pro Beauty	40	590	SM	•	T12	600 - 640	light red	20 - 25	800	15036
COLLAGEN Pro Beauty	100	1760	SM	•	T12	600 - 640	light red	17 - 22	800	19100
COLLAGEN Pro Beauty	120	2000	SM	•	T12	600 - 640	light red	17 - 22	800	19120
COLLAGEN Pro Beauty	160	1760	SM	•	T12	600 - 640	light red	15 - 20	800	16628
COLLAGEN Pro Beauty	160-180	1900	SM	•	T12	600 - 640	light red	15 - 20	800	19200
COLLAGEN Pro Beauty	180	2000	SM	•	T12	600 - 640	light red	15 - 20	800	19180

COLLAGEN HIGH PRESSURE	Wattage (W)	Overall length (mm)	Base	Bulb Ø (mm)	Crystal	Treatment duration* (min)	Useful life (hrs)	Ordering code
COLLAGEN Pro Beauty HP 200 GY9,5**	200	99	GY9,5	22,5	UV protected	15 - 20	800	24020
COLLAGEN Pro Beauty HP 200 R7S**	200	106	R7S	22,5	UV protected	15 - 20	800	24029
COLLAGEN filter								29004

\* Depending on device type, number of lamps and skin type.  
\*\* Use only together with Filter ordering code 29004.



HYALURON Pro Beauty Fluid	anti aging concentrate 30 ml	30040
---------------------------	------------------------------	-------



## HIGHEST QUALITY STANDARDS

Cosmedico high pressure lamps provide tanning results that impress with their natural appearance and ensure a high quality tan with permanent pigmentation. They are optimized for professional use. All lamps within the range provide optimum operating conditions and maintain their level of performance

over the entire useful life of up to 800 hours, even at high operating temperatures. Cosmedico high pressure - the perfect lamp for every tanning studio.




HIGH PRESSURE	Wattage (W) <sup>1</sup>	Overall length <sup>2</sup> (mm)	Base	Bulb Ø (mm)	Electrode distance <sup>3</sup> (mm)	Crystal <sup>4</sup>	Pack. unit (pc)	Useful life (hrs)	Ordering code
COSMEDICO N 250 GY 9.5	200-250	68	SE-GY 9.5	15	18	OF	25	800	24080
COSMEDICO N 300-500 GY 9.5	300-500	105	SE-GY 9.5	13,5	32	OF	25	800	24073
COSMEDICO N 500 GY 9.5	400-600	106	SE-GY 9.5	16,3	31	OF	25	800	24061
COSMEDICO M E 1000 SBSN GY 9.5	600-800	106	SE-GY 9.5	25	29	FDA	25	800	24022
COSMEDICO N 800 GY 9.5	800-1000	115	SE-GY 9.5	18,5	35	OF	25	800	24172
COSMEDICO N 1000 GYX 9.5	1000	129	SE-GY 9.5 long	24,5	28	OF	25	800	24171
COSMEDICO N 1200-1500 GY 9.5	1000-1200	132	SE-GY 9.5	24,5	50	OF	25	800	24177
COSMEDICO N 400-600 G12	400-600	106	SE-G12	17	29	OF	10	800	20086
COSMEDICO N 400 R7S	300-500	106	DE-R7s	13,5	31,5	OF	25	800	24070
COSMEDICO N 500 R7S	400-600	106	DE-R7s	16,3	31	OF	25	800	24075
COSMEDICO N 800 R7S	800	114	DE-R7s	18,5	35	OF	25	800	24179
COSMEDICO N 400 L	300-500	114	DE-7mm with wire	13,5	31,5	OF	25	800	24072
COSMEDICO N 1000 L	1000	138	DE-10mm with wire	24,5	50	OF	25	800	24170
COSMEDICO N 2000 L	1800-2000	171	DE-10mm with wire	28	75	OF	25	800	24270

<sup>1</sup> Depending on operating conditions    <sup>2</sup> See sketch A (metered without pins)    <sup>3</sup> See sketch B    <sup>4</sup> OF = Ozone free / FDA = approved for the USA

SE = Single Ended  
DE = Double Ended

<sup>2</sup> Overall length = A  
<sup>3</sup> Electrode distance = B



## RELIABILITY COUNTS

Cosmedico ignitors make the most of each tanning bed and ensure reliable ignition in the long term. All ignitors have a high-quality aluminum housing and achieve unsurpassed performance with minimum power consumption. All items are equip-

ped with a safety fuse which provides an automatic shutdown if required. Cosmedico ignitors – reliability that pays off!

Ignitors



IGNITORS	Pack. unit (pc)	Ordering code
COSMOPOWER S Z 400 M 220-240 V	1	71805
COSMOPOWER S Z 1000 220-240 V	1	71813
COSMOPOWER S Z 2000/400V	1	71824



# Cosmedico ACCESSORIES

## USEFUL ITEMS FOR SALONS


At Cosmedico, we can offer salon accessories from one source. We deliver quality at your doorstep. Our experts will assist you in choosing the right components.

Cosmedico **Starters** are tuned for the use with Cosmedico tanning lamps and prolong their economic life. They are reliable in function and trouble-free in operation, even at high temperatures. Cosmedico **Ballasts** guarantee the optimum performance exploitation of low and high pressure lamps due to their accurate impedance adjustment.

Cosmedico **UV meters** are easy to use, versatile measuring instruments for the determination of the irradiance of tanning beds. For example the Eer-meter measures a tanning

bed's compliance with the maximum value of 0.3 W/m<sup>2</sup> during operation.

Cosmedico **Destacryl ultra** ensures hygiene in the salon and produces a fresh scent. Small amounts go a long way: 150 ml concentrate will produce 10 liters of ready-to-use spray cleaner. Cosmedico Destacryl disinfects and gently cleans all water resistant and acrylic surfaces without stressing the material. Due to the short reaction time, efficient disinfection is possible in next to no time. The attractive **display „freshly disinfected“** confirms the brilliant result!



Conventional



Electronic

STARTERS	Lamp Wattage (W)	Voltage (V)	Pack. unit (pc)	Ordering code
COSMEDICO S10	4 - 65	220-240 ~ SINGLE	HV (20x10)	969769131
COSMEDICO S10	4 - 65	220-240 ~ SINGLE	IV (1000)	969769128
COSMEDICO COS 100	25-100	220-240 ~ SINGLE	HV (20x25)	900018126
COSMEDICO COS 100	25-100	220-240 ~ SINGLE	IV (1000)	900018128
COSMEDICO uniCOS	100 - 180	230-240 ~ SINGLE	HV (500)	900803326
COSMEDICO COSMOSTART/E (electronic)	15 - 225	200-260	10	71204

HV Retail package  
IV Industry package



cubic / slim

BALLASTS	Pack. unit (pc)	Ordering code
COSMOPOWER S 100 W 230V 50 HZ, slim, hole distance 180	1	74245
COSMOPOWER S 160 W 230V 50 HZ, slim, hole distance 220	1	74241
COSMOPOWER S 180 W 230V 50 HZ, cubic, hole distance 120	1	74215
COSMOPOWER S 400 W 230V 50 HZ, cubic, hole distance 155	1	74405

Disinfectant



Display „Freshly disinfected“

## DISINFECTION

	Pack. unit (pc)	Ordering code
DESTACRYL ultra 12x150 ml concentrate, 1 measuring cup, 1 leaflet	12	72150
DESTACRYL bottle 1 Liter (without spray nozzle, empty)	1	72100
DESTACRYL spray nozzle for 72100	1	72101
DESTACRYL measuring cup 15 ml	1	72151
DISPLAY for sunbed „Frisch desinfiziert“ (German)	1	72055
DISPLAY for sunbed „Freshly disinfected“ (English)	1	72063

Eye protection



Eer-Meter



Wink Ease

## ACCESSORIES

	Pack. unit (pc)	Ordering code
EER-METER, Erythem UV radiometer	1	75400
RWL CONTROL, redlight meter	1	75300
EYE-CONES, single-use eye protection, roll à 500 cones	1	73404
EYE PROTECTION GLASSES with elastic strap	1	73402

# Cosmedico CONTACT



**MATHIAS BERGGÖTZ**  
Sales Manager  
Germany, France, Scandinavia,  
Austria, Switzerland  
Phone +49 (0)711 54 00 4 - 34  
Fax +49 (0)711 54 00 4 - 55  
mathias.berggoetz@jw-sales.de



**JÖRG REISCH**  
Sales Manager  
England, Ireland, Spain,  
Benelux, Rest of World  
Phone +49 (0)711 54 00 4 - 31  
Fax +49 (0)711 54 00 4 - 55  
joerg.reisch@jw-sales.de



**HARALD SIPPEL**  
Sales Manager  
Italy, Eastern Europe,  
Eurasia  
Phone +49 (0)711 54 00 4 - 38  
Fax +49 (0)711 54 00 4 - 55  
harald.sippel@jw-sales.de



**ANTONIE FRANZ**  
Sales  
France, Austria, Switzerland,  
Italy, Spain  
Phone +49 (0)711 54 00 4 - 35  
Fax +49 (0)711 54 00 4 - 55  
antonie.franz@jw-sales.de



**JASMIN FUHRMANN**  
Sales  
Scandinavia, Great Britain,  
Ireland, Rest of World  
Phone +49 (0)711 54 00 4 - 39  
Fax +49 (0)711 54 00 4 - 55  
jasmin.fuhrmann@jw-sales.de



**CLAUDIA SCAZZARIELLO**  
Sales  
Eastern Europe,  
Eurasia  
Phone +49 (0)711 54 00 4 - 20  
Fax +49 (0)711 54 00 4 - 55  
claudia.scazzariello@jw-sales.de



**REGINE THEUERKAUF**  
Sales  
Germany, Benelux,  
Cosmedico Light USA  
Phone +49 (0)711 54 00 4 - 36  
Fax +49 (0)711 54 00 4 - 55  
regine.theuerkauf@jw-sales.de